

Product Data Sheet

12/17/2024

Thermostatic Radiator Valves & Heads

Matchmaster PF

UK - Myson



- High-quality chrome finish
- Ideal for robust specifications
- Graphite gland packing
- Long lifespan
- Straight and angled versions available

Description

Introducing the Matchmaster PF Radiator Valve, the ultimate solution for demanding installations. This pushfit valve is specifically designed to provide superior performance, reliability and ease of use. With its high-quality chrome finish, it is not only functional but also adds a touch of elegance to your heating system. The valve's graphite gland packing is engineered to compress, which means it is able to deliver trouble-free service. This feature ensures that the valve remains leak-free and operating at peak efficiency even in high-pressure systems. The valve is available in both straight and angled configurations to provide flexible installation options to meet your specific heating needs. Designed to meet the highest industry standards, the Matchmaster PF Radiator Valve is easy to install and provides unbeatable performance. With its sleek design and durable construction, it is the perfect addition to any modern heating system. It is the ideal choice for those who demand the best in terms of quality, reliability and performance. Experience the difference for yourself and upgrade your heating system with the Matchmaster PF Radiator Valve.

Area of Application

Matchmaster PF radiator valves are suitable for robust specifications, making them ideal for commercial and residential heating systems. They feature high-quality chrome finishes, conveniently available in both straight and angled configurations with graphite gland packing for durability and reliability.

Selection Criteria

Use our design service or, for quick selection, refer to our brochure to choose the ideal Matchmaster PF valve that meets your system requirements.

Basic User Instructions

The Matchmaster PF radiator valve should be installed by tightening the gland nut to compress the graphite gland packing, ensuring a long-lasting, leak-free operation. Available in both straight and angled versions, the pushfit valve simplifies connections, providing a reliable seal for years of service. Always follow proper installation guidelines and safety regulations.

Prescription text specifiers

Matchmaster PF radiator valves feature a high-quality chrome finish, designed for robust specifications. The valves use a graphite gland packing that can be compressed by tightening the gland nut, ensuring years of trouble-free operation. Available in both straight and angled configurations, with pushfit connections for ease of installation. Finished in chrome, these valves conform to BS 2767-10 and are produced under an ISO 9001:2008 quality management system. The operating pressure is 10 bar for compression connections and 3 bar for pushfit. The maximum operating temperature is 120°C for compression and 92°C for pushfit.

Warranty

Specification

Feature	Unit	Value
---------	------	-------

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Valves Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_ef75e07a-fa70-492a-aa8a-b717c52c3ce7

Items

Local Code	Global Item Code	Item Description
------------	------------------	------------------