


Product Data Sheet

5/16/2026

Convectors & Fan Coils

Bend 90

Romania - Purmo



- Enhanced compatibility
- Efficient installation
- Reliable performance
- Space-saving design
- Durable construction

Description

The 90° Angle EUROKONUS Connector is an elbow used with a flow valve when pipe connections are made through the wall. Primarily designed for iVector S2 models, this connector offers a streamlined solution, facilitating efficient installation and ensuring robust connections to maintain optimal performance.

Area of Application

The 90° Angle EUROKONUS Connector is suitable for use when pipe connections pass through the wall and is compatible with flow valves. Ideal for the iVector S2 models, this connector ensures a secure and efficient connection in heating systems where wall connections are necessary.

Selection Criteria

The product selection depends on the orientation of the pipe connection. Use our design service or refer to our brochure for quick selection.

Basic User Instructions

Ensure the 90° Angle EUROKONUS Connector is used only with flow valves for wall pipe connections. Make sure all connections and fittings are securely tightened to prevent leaks. Always follow installation guidelines specific to iVector S2 models for optimal performance and safety. Regularly inspect for wear and tear.

Prescription text specifiers

The 90° Angle EUROKONUS Connector facilitates secure and efficient wall pipe connections for the iVector S2 models. Made from high-quality materials, it is designed for use with flow valves and ensures robust, reliable performance. This space-saving elbow connector is essential for any heating system where wall connections are necessary, providing enhanced compatibility and easy installation. It is an indispensable component for maintaining the efficiency and reliability of your heating system.

Warranty

Warranty 2 years

Specification

Feature	Unit	Value
---------	------	-------

Resources

Document Description	Document Type	Link
----------------------	---------------	------

Items

Global Item Code	Item Description
------------------	------------------
