

Product Data Sheet

9/13/2025

Panel Radiators

Ventil Compact

Romania - Purmo



- Flexible Installation
- Durable Construction
- High Efficiency
- Range of Sizes
- Easy Maintenance

Description

The Ventil Compact radiator stands out for its flexible installation options due to its integrated valve system. Supporting both lateral and bottom connections, it is suited for various room layouts. It comes in multiple sizes, from 200 mm to 900 mm in height and 400 mm to 3000 mm in length, and handles a maximum pressure of 10 bar and temperatures up to 110°C. Made of cold-rolled steel, it combines durability with an attractive design, making it ideal for modern interiors.

Area of Application

The Ventil Compact radiator is ideal for residential and commercial properties. It features integrated valves for two-pipe systems, allowing for connections both laterally (4 x G ½" and 2 x G ½", 50 mm apart) and from the bottom (2 x G ½", 50 mm apart). Available in heights from 200 to 900 mm and lengths from 400 to 3000 mm, it supports water heating systems and has a maximum operating pressure of 10 bar and a maximum temperature of 110°C.

Selection Criteria

Use the integrated valves' location (standard right, optional left), heights (200-900 mm), and lengths (400-3000 mm). For detailed selection, refer to our brochure or design service.

Basic User Instructions

Ensure all connections adhere to the specified standards (ISO 228). The valve insert, air vent, and blank plugs are factory-mounted. Utilize the assembly aid for accurate connection distances and ensure the hydraulic balancing is set using the kv-regulation provided. Follow the recommended installation instructions for either one-pipe or two-pipe systems, noting the required circulation barriers and valve positions.

Prescription text specifiers

The Ventil Compact radiator is a versatile flat-panel radiator with integrated valves suitable for two-pipe heating systems. It offers multiple connection possibilities: 4 lateral G ½" connections and 2 bottom G ½" connections (50 mm apart). The radiator is available in heights ranging from 200 mm to 900 mm and lengths from 400 mm to 3000 mm. It can operate under a maximum pressure of 10 bar and withstand temperatures up to 110°C. Manufactured from cold-rolled steel to EN 10130 standards, it undergoes a five-phase surface treatment including alkaline degreasing, phosphating, cathodic priming, epoxy-polyester powder coating, and curing at 200°C. The Ventil Compact is CE certified according to EN 442 and upholds stringent quality standards including ISO 9001 and ISO 14001. The integrated valve insert offers 11 settings for optimal hydraulic balancing.

Warranty

Purmo radiators are warranted for a period of 10 years* from date of purchase against all manufacturing defects when they are used in normal conditions and for a heating system with hot water. The warranty does not apply to defects caused by installation or handling errors, misuse or factors external to the radiators, such as water quality or oxygen-permeable pipes.

Underfloor heating products and piping systems elements are warranted for a period of 10 years**.

* 6 years for galvanized radiators and 2 years for all electronic and electric components and spare parts sold separately (side covers, top grilles, plastic clips, plugs, air vents, fixing parts)

** 30 years for PexPenta pipes

Specification

Feature	Unit	Value
Etim Class		EC011022 - Panel radiator (hydronic)
Watt Per Meter	Watt per metre (W/m)	1018, 1060, 1156, 1221, 1340 ... 761, 790, 868, 961, 963
Heat emission according to EN 442 20 °C - 70/55	Watt (W)	1017, 1022, 1036, 1054, 1066 ... 973, 978, 986, 987, 989
Heat emission according to EN 442 24 °C - 60/40	Watt (W)	1003, 1007, 1013, 1021, 1034 ... 958, 962, 990, 997, 999
Number of floor brackets		2, 3, 4
Heat emission according to EN 442 20 °C - 90/70	Watt (W)	1002, 1023, 1027, 1034, 1039 ... 969, 975, 976, 991, 992
Heat emission according to EN 442 20 °C - 60/40	Watt (W)	1002, 1010, 1037, 1041, 1042 ... 973, 980, 984, 989, 990
Heat emission according to EN 442 20 °C - 60/45	Watt (W)	1005, 1017, 1028, 1029, 1031 ... 914, 937, 946, 965, 972
Heat emission according to EN 442 21 °C 60/40	-Watt (W)	1018, 1022, 1037, 1054, 1068 ... 961, 988, 992, 993, 997
Heat emission according to EN 442 20 °C - 65/45	Watt (W)	1020, 1028, 1029, 1050, 1059 ... 982, 983, 991, 992, 994
Heat emission according to EN 442 24 °C - 50/30	Watt (W)	1003, 101, 103, 105, 106 ... 940, 943, 95, 98, 995
Mounting Direction		Horizontal
Factor K		1.361, 1.701, 1.741, 1.918, 10.012 ... 9.797, 9.817, 9.846, 9.882, 9.91
Heat emission according to EN 442 24 °C - 60/45	Watt (W)	1019, 1023, 1038, 1055, 1069 ... 962, 989, 993, 994, 998
Heat emission according to EN 442 24 °C - 45/30	Watt (W)	101, 102, 1028, 103, 107 ... 93, 933, 94, 98, 99
Heat emission according to EN 442 21 °C 75/65	-Watt (W)	1002, 1013, 1030, 1032, 1033 ... 957, 973, 990, 991, 998
Heat emission according to EN 442 20 °C - 45/35	Watt (W)	1002, 1018, 102, 1022, 1046 ... 939, 955, 966, 97, 981
Heat emission according to EN 442 21 °C 45/35	-Watt (W)	1005, 1016, 1025, 1045, 105 ... 952, 973, 98, 990, 998
Heat emission according to EN 442 21 °C 55/45	-Watt (W)	1009, 1017, 1044, 1049, 1053 ... 987, 990, 991, 996, 997
Heat emission according to EN 442 20 °C - 50/30	Watt (W)	1000, 1019, 102, 1024, 103 ... 95, 965, 973, 980, 990
Heat emission according to EN 442 20 °C - 55/45 [Btu/h]		1007, 1010, 1020, 10495, 1054 ... 945, 959, 9690, 993, 996

Feature	Unit	Value
Max. Operating Temperature	Degrees celsius (°C)	110
Heat emission according to EN 442 20 °C Watt (W) - 60/30		1018, 1023, 1044, 1053, 1063 ... 96, 963, 968, 977, 981
Heat emission according to EN 442 20 °C Watt (W) - 55/30		1006, 1029, 1044, 1048, 105 ... 963, 979, 980, 99, 991
Number of wall brackets		2, 3
Weight	Kilogram (kg)	1.182, 1.199, 1.263, 1.522, 1.64 ... 9.452, 9.5, 9.562, 91.267, 95.387
Heat emission according to EN 442 24 °C Watt (W) - 55/45		1000, 1010, 1015, 1044, 1054 ... 959, 967, 971, 973, 994
Heat emission according to EN 442 20 °C Watt (W) - 55/35		1003, 1005, 1027, 103, 1035 ... 976, 977, 989, 996, 998
Heat emission according to EN 442 20 °C Watt (W) - 80/60		1000, 1007, 1011, 1022, 1039 ... 960, 9602, 966, 981, 999
CO2/Kg equivalent per kg of material		2.8
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		10011, 10031, 10202, 10420, 10570 ... 969, 9721, 9738, 9779, 9837
Heat emission according to EN 442 20 °C Watt (W) - 45/30		1000, 1002, 1006, 101, 103 ... 94, 960, 972, 984, 99
Colour		White
Height	Millimetre (mm)	300, 400, 450, 500, 600, 900
Depth	Millimetre (mm)	102, 152, 60, 70
Collapsible		Yes
RAL-number		9016
Type		11, 21, 22, 33
Length	Millimetre (mm)	1000, 1100, 1200, 1400, 1600 ... 500, 600, 700, 800, 900
Material		Steel
Water content	Litre (l)	0.68, 0.85, 0.88, 1, 1.02 ... 9.38, 9.6, 9.8, 9.84, 9.9
With mounting material		Yes
With connection block		No
Water-bearing front panel		Yes
Surface structure front panel		Profiled
Heat emission according to EN 442 20 °C Watt (W) - 70/40		1002, 1006, 1018, 1040, 1046 ... 971, 978, 980, 994, 998
Heat emission according to EN 442 20 °C Watt (W) - 55/45		1019, 1024, 1028, 1029, 1033 ... 976, 982, 985, 994, 996
With towel recess		No
Connection 1, bottom left		Double connection, outlet-inlet
Connection 2, left side low		Outlet flow
Connection 3, left side top		Control valve, Inlet flow

Feature	Unit	Value
Connection 4, top left		Other
Connection 6, right side top		Control valve, Inlet flow, Other
Connection 7, right side low		Other, Outlet flow
Connection BC, bottom centre		Other
Connection 8, bottom right		Double connection, inlet-outlet, Other
Number of standard connections		2, 6
Suitable for shelf		No
Suitable for towel holder		No
Welded-on strips		No, Yes
With drain valve		No
With de-aerator		Yes
With de-aeration connection		No, Yes
Max. operating pressure	Bar (bar)	10
With thermostat button		No
With drain possibility (connection)		Yes
Thread connection		Internal thread
With towel holder		No
Thread size (inch)		1/2 inch
Heat emission according to EN 442 20 °C Watt (W) - 75/65		1018, 1019, 1025, 1029, 1040 ... 977, 9780, 983, 995, 999
N-exponent		1.2803, 1.294, 1.2981, 1.3008, 1.3026 ... 1.3371, 1.339, 1.3486, 1.3561, 1.36
With side lining		Yes
With single-point connection		No
With integrated thermostatic valve		Yes
With wall brackets		Yes
With blind plugs		No
With top lining		Yes
Heat emission according to EN 442 laboratory		Yes
Suitable for electrical element		No
With electrical element		No
Suitable for damp space		No
Standard colour		Yes
Degree of gloss		Glossy
Heat emission according to EN 442 24 °C Watt (W) - 45/35		100, 1005, 1018, 102, 103 ... 932, 94, 95, 968, 972
CO2/Kg equivalent per KW of heat delivered by the articles		54.66
Mounting direction		Horizontal
Max. operating temperature	Degrees celsius (°C)	110

Feature	Unit	Value
Item weight	Kilogram (kg)	10.672, 14.738, 16.684, 19.925, 20.773 ... 40.1, 43.698, 49.569, 52.278, 8.013
Surface structure front-side panel		Profiled

Resources

Document Description	Document Type	Link
Ventil Compact, front view		https://asset.productmarketingcloud.com/api/assetstorage/3577_f2470df8-82a0-41a5-8e15-0a9f53c41352
Ventil Compact, type 11, back view		https://asset.productmarketingcloud.com/api/assetstorage/3577_5382c95f-547c-4485-bb2e-3e0f40d638c9
Ventil Compact, type 21s, side view with Monclac brackets		https://asset.productmarketingcloud.com/api/assetstorage/3577_29234396-1d3e-40c1-9d9a-4a0996ab1622
Ventil Compact, types 30, 33, side view with Monclac wall brackets		https://asset.productmarketingcloud.com/api/assetstorage/3577_00872489-8b1d-4faf-beba-25867498a923
Ventil Compact type 11, top view		https://asset.productmarketingcloud.com/api/assetstorage/3577_a772126f-0de7-4d3b-b000-5d85b2c38dc4
	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_6d4f4cea-bede-4142-ae03-963b40b8b294

Items

Global Item Code	Item Description
F071103004010300	PURMO CV 11 300x 400
F071103004010310	PURMO CV 11 300x 400 L
F071103005010300	PURMO CV 11 300x 500
F071103005010310	PURMO CV 11 300x 500 L
F071103006010300	PURMO CV 11 300x 600
F071103006010310	PURMO CV 11 300x 600 L
F071103007010300	PURMO CV 11 300x 700
F071103007010310	PURMO CV 11 300x 700 L
F071103008010300	PURMO CV 11 300x 800
F071103008010310	PURMO CV 11 300x 800 L
F071103009010300	PURMO CV 11 300x 900
F071103009010310	PURMO CV 11 300x 900 L
F071103010010300	PURMO CV 11 300x1000
F071103010010310	PURMO CV 11 300x1000 L
F071103011010300	PURMO CV 11 300x1100
F071103011010310	PURMO CV 11 300x1100 L
F071103012010300	PURMO CV 11 300x1200
F071103012010310	PURMO CV 11 300x1200 L
F071103014010300	PURMO CV 11 300x1400
F071103014010310	PURMO CV 11 300x1400 L

Global Item Code	Item Description
F071103016010300	PURMO CV 11 300x1600
F071103016010310	PURMO CV 11 300x1600 L
F071103018010300	PURMO CV 11 300x1800
F071103018010310	PURMO CV 11 300x1800 L
F071103020010300	PURMO CV 11 300x2000
F071103020010310	PURMO CV 11 300x2000 L
F071103023010300	PURMO CV 11 300x2300
F071103023010310	PURMO CV 11 300x2300 L
F071103026010300	PURMO CV 11 300x2600
F071103026010310	PURMO CV 11 300x2600 L
F071103030010300	PURMO CV 11 300x3000
F071103030010310	PURMO CV 11 300x3000 L
F071104004010300	PURMO CV 11 400x 400
F071104004010310	PURMO CV 11 400x 400 L
F071104005010300	PURMO CV 11 400x 500
F071104005010310	PURMO CV 11 400x 500 L
F071104006010300	PURMO CV 11 400x 600
F071104006010310	PURMO CV 11 400x 600 L
F071104007010300	PURMO CV 11 400x 700
F071104007010310	PURMO CV 11 400x 700 L
F071104008010300	PURMO CV 11 400x 800
F071104008010310	PURMO CV 11 400x 800 L
F071104009010300	PURMO CV 11 400x 900
F071104009010310	PURMO CV 11 400x 900 L
F071104010010300	PURMO CV 11 400x1000
F071104010010310	PURMO CV 11 400x1000 L
F071104011010300	PURMO CV 11 400x1100
F071104011010310	PURMO CV 11 400x1100 L
F071104012010300	PURMO CV 11 400x1200
F071104012010310	PURMO CV 11 400x1200 L
F071104014010300	PURMO CV 11 400x1400
F071104014010310	PURMO CV 11 400x1400 L
F071104016010300	PURMO CV 11 400x1600
F071104016010310	PURMO CV 11 400x1600 L
F071104018010300	PURMO CV 11 400x1800
F071104018010310	PURMO CV 11 400x1800 L
F071104020010300	PURMO CV 11 400x2000
F071104020010310	PURMO CV 11 400x2000 L
F071104023010300	PURMO CV 11 400x2300
F071104023010310	PURMO CV 11 400x2300 L
F071104026010300	PURMO CV 11 400x2600

Global Item Code	Item Description
F071104026010310	PURMO CV 11 400x2600 L
F071104030010300	PURMO CV 11 400x3000
F071104030010310	PURMO CV 11 400x3000 L
F071104504010300	PURMO CV 11 450x 400
F071104504010310	PURMO CV 11 450x 400 L
F071104505010300	PURMO CV 11 450x 500
F071104505010310	PURMO CV 11 450x 500 L
F071104506010300	PURMO CV 11 450x 600
F071104506010310	PURMO CV 11 450x 600 L
F071104507010300	PURMO CV 11 450x 700
F071104507010310	PURMO CV 11 450x 700 L
F071104508010300	PURMO CV 11 450x 800
F071104508010310	PURMO CV 11 450x 800 L
F071104509010300	PURMO CV 11 450x 900
F071104509010310	PURMO CV 11 450x 900 L
F071104510010300	PURMO CV 11 450x1000
F071104510010310	PURMO CV 11 450x1000 L
F071104511010300	PURMO CV 11 450x1100
F071104511010310	PURMO CV 11 450x1100 L
F071104512010300	PURMO CV 11 450x1200
F071104512010310	PURMO CV 11 450x1200 L
F071104514010300	PURMO CV 11 450x1400
F071104514010310	PURMO CV 11 450x1400 L
F071104516010300	PURMO CV 11 450x1600
F071104516010310	PURMO CV 11 450x1600 L
F071104518010300	PURMO CV 11 450x1800
F071104518010310	PURMO CV 11 450x1800 L
F071104520010300	PURMO CV 11 450x2000
F071104520010310	PURMO CV 11 450x2000 L
F071104523010300	PURMO CV 11 450x2300
F071104523010310	PURMO CV 11 450x2300 L
F071104526010300	PURMO CV 11 450x2600
F071104526010310	PURMO CV 11 450x2600 L
F071104530010300	PURMO CV 11 450x3000
F071104530010310	PURMO CV 11 450x3000 L
F071105004010300	PURMO CV 11 500x 400
F071105004010310	PURMO CV 11 500x 400 L
F071105005010300	PURMO CV 11 500x 500
F071105005010310	PURMO CV 11 500x 500 L
F071105006010300	PURMO CV 11 500x 600
F071105006010310	PURMO CV 11 500x 600 L

Global Item Code	Item Description
F071105007010300	PURMO CV 11 500x 700
F071105007010310	PURMO CV 11 500x 700 L
F071105008010300	PURMO CV 11 500x 800
F071105008010310	PURMO CV 11 500x 800 L
F071105009010300	PURMO CV 11 500x 900
F071105009010310	PURMO CV 11 500x 900 L
F071105010010300	PURMO CV 11 500x1000
F071105010010310	PURMO CV 11 500x1000 L
F071105011010300	PURMO CV 11 500x1100
F071105011010310	PURMO CV 11 500x1100 L
F071105012010300	PURMO CV 11 500x1200
F071105012010310	PURMO CV 11 500x1200 L
F071105014010300	PURMO CV 11 500x1400
F071105014010310	PURMO CV 11 500x1400 L
F071105016010300	PURMO CV 11 500x1600
F071105016010310	PURMO CV 11 500x1600 L
F071105018010300	PURMO CV 11 500x1800
F071105018010310	PURMO CV 11 500x1800 L
F071105020010300	PURMO CV 11 500x2000
F071105020010310	PURMO CV 11 500x2000 L
F071105023010300	PURMO CV 11 500x2300
F071105023010310	PURMO CV 11 500x2300 L
F071105026010300	PURMO CV 11 500x2600
F071105026010310	PURMO CV 11 500x2600 L
F071105030010300	PURMO CV 11 500x3000
F071105030010310	PURMO CV 11 500x3000 L
F071106004010300	PURMO CV 11 600x 400
F071106004010310	PURMO CV 11 600x 400 L
F071106005010300	PURMO CV 11 600x 500
F071106005010310	PURMO CV 11 600x 500 L
F071106006010300	PURMO CV 11 600x 600
F071106006010310	PURMO CV 11 600x 600 L
F071106007010300	PURMO CV 11 600x 700
F071106007010310	PURMO CV 11 600x 700 L
F071106008010300	PURMO CV 11 600x 800
F071106008010310	PURMO CV 11 600x 800 L
F071106009010300	PURMO CV 11 600x 900
F071106009010310	PURMO CV 11 600x 900 L
F071106010010300	PURMO CV 11 600x1000
F071106010010310	PURMO CV 11 600x1000 L
F071106011010300	PURMO CV 11 600x1100

Global Item Code	Item Description
F071106011010310	PURMO CV 11 600x1100 L
F071106012010300	PURMO CV 11 600x1200
F071106012010310	PURMO CV 11 600x1200 L
F071106014010300	PURMO CV 11 600x1400
F071106014010310	PURMO CV 11 600x1400 L
F071106016010300	PURMO CV 11 600x1600
F071106016010310	PURMO CV 11 600x1600 L
F071106018010300	PURMO CV 11 600x1800
F071106018010310	PURMO CV 11 600x1800 L
F071106020010300	PURMO CV 11 600x2000
F071106020010310	PURMO CV 11 600x2000 L
F071106023010300	PURMO CV 11 600x2300
F071106023010310	PURMO CV 11 600x2300 L
F071106026010300	PURMO CV 11 600x2600
F071106026010310	PURMO CV 11 600x2600 L
F071106030010300	PURMO CV 11 600x3000
F071106030010310	PURMO CV 11 600x3000 L
F071109004010300	PURMO CV 11 900x 400
F071109004010310	PURMO CV 11 900x 400 L
F071109005010300	PURMO CV 11 900x 500
F071109005010310	PURMO CV 11 900x 500 L
F071109006010300	PURMO CV 11 900x 600
F071109006010310	PURMO CV 11 900x 600 L
F071109007010300	PURMO CV 11 900x 700
F071109007010310	PURMO CV 11 900x 700 L
F071109008010300	PURMO CV 11 900x 800
F071109008010310	PURMO CV 11 900x 800 L
F071109009010300	PURMO CV 11 900x 900
F071109009010310	PURMO CV 11 900x 900 L
F071109010010300	PURMO CV 11 900x1000
F071109010010310	PURMO CV 11 900x1000 L
F071109011010300	PURMO CV 11 900x1100
F071109011010310	PURMO CV 11 900x1100 L
F071109012010300	PURMO CV 11 900x1200
F071109012010310	PURMO CV 11 900x1200 L
F071109014010300	PURMO CV 11 900x1400
F071109014010310	PURMO CV 11 900x1400 L
F071109016010300	PURMO CV 11 900x1600
F071109016010310	PURMO CV 11 900x1600 L
F071109018010300	PURMO CV 11 900x1800
F071109018010310	PURMO CV 11 900x1800 L

Global Item Code	Item Description
F071109020010300	PURMO CV 11 900x2000
F071109020010310	PURMO CV 11 900x2000 L
F071109023010300	PURMO CV 11 900x2300
F071109023010310	PURMO CV 11 900x2300 L
F071109026010300	PURMO CV 11 900x2600
F071109026010310	PURMO CV 11 900x2600 L
F071109030010300	PURMO CV 11 900x3000
F071109030010310	PURMO CV 11 900x3000 L
F072103004011300	PURMO CV 21S 300x 400
F072103005011300	PURMO CV 21S 300x 500
F072103006011300	PURMO CV 21S 300x 600
F072103007011300	PURMO CV 21S 300x 700
F072103008011300	PURMO CV 21S 300x 800
F072103009011300	PURMO CV 21S 300x 900
F072103010011300	PURMO CV 21S 300x1000
F072103011011300	PURMO CV 21S 300x1100
F072103012011300	PURMO CV 21S 300x1200
F072103014011300	PURMO CV 21S 300x1400
F072103016011300	PURMO CV 21S 300x1600
F072103018011300	PURMO CV 21S 300x1800
F072103020011300	PURMO CV 21S 300x2000
F072103023011300	PURMO CV 21S 300x2300
F072103026011300	PURMO CV 21S 300x2600
F072103030011300	PURMO CV 21S 300x3000
F072104004011300	PURMO CV 21S 400x 400
F072104005011300	PURMO CV 21S 400x 500
F072104006011300	PURMO CV 21S 400x 600
F072104007011300	PURMO CV 21S 400x 700
F072104008011300	PURMO CV 21S 400x 800
F072104009011300	PURMO CV 21S 400x 900
F072104010011300	PURMO CV 21S 400x1000
F072104011011300	PURMO CV 21S 400x1100
F072104012011300	PURMO CV 21S 400x1200
F072104014011300	PURMO CV 21S 400x1400
F072104016011300	PURMO CV 21S 400x1600
F072104018011300	PURMO CV 21S 400x1800
F072104020011300	PURMO CV 21S 400x2000
F072104023011300	PURMO CV 21S 400x2300
F072104026011300	PURMO CV 21S 400x2600
F072104030011300	PURMO CV 21S 400x3000
F072104504011300	PURMO CV 21S 450x 400

Global Item Code	Item Description
F072104505011300	PURMO CV 21S 450x 500
F072104506011300	PURMO CV 21S 450x 600
F072104507011300	PURMO CV 21S 450x 700
F072104508011300	PURMO CV 21S 450x 800
F072104509011300	PURMO CV 21S 450x 900
F072104510011300	PURMO CV 21S 450x1000
F072104511011300	PURMO CV 21S 450x1100
F072104512011300	PURMO CV 21S 450x1200
F072104514011300	PURMO CV 21S 450x1400
F072104516011300	PURMO CV 21S 450x1600
F072104518011300	PURMO CV 21S 450x1800
F072104520011300	PURMO CV 21S 450x2000
F072104523011300	PURMO CV 21S 450x2300
F072104526011300	PURMO CV 21S 450x2600
F072104530011300	PURMO CV 21S 450x3000
F072105004011300	PURMO CV 21S 500x 400
F072105005011300	PURMO CV 21S 500x 500
F072105006011300	PURMO CV 21S 500x 600
F072105007011300	PURMO CV 21S 500x 700
F072105008011300	PURMO CV 21S 500x 800
F072105009011300	PURMO CV 21S 500x 900
F072105010011300	PURMO CV 21S 500x1000
F072105011011300	PURMO CV 21S 500x1100
F072105012011300	PURMO CV 21S 500x1200
F072105014011300	PURMO CV 21S 500x1400
F072105016011300	PURMO CV 21S 500x1600
F072105018011300	PURMO CV 21S 500x1800
F072105020011300	PURMO CV 21S 500x2000
F072105023011300	PURMO CV 21S 500x2300
F072105026011300	PURMO CV 21S 500x2600
F072105030011300	PURMO CV 21S 500x3000
F072106004011300	PURMO CV 21S 600x 400
F072106005011300	PURMO CV 21S 600x 500
F072106006011300	PURMO CV 21S 600x 600
F072106007011300	PURMO CV 21S 600x 700
F072106008011300	PURMO CV 21S 600x 800
F072106009011300	PURMO CV 21S 600x 900
F072106010011300	PURMO CV 21S 600x1000
F072106011011300	PURMO CV 21S 600x1100
F072106012011300	PURMO CV 21S 600x1200
F072106014011300	PURMO CV 21S 600x1400

Global Item Code	Item Description
F072106016011300	PURMO CV 21S 600x1600
F072106018011300	PURMO CV 21S 600x1800
F072106020011300	PURMO CV 21S 600x2000
F072106023011300	PURMO CV 21S 600x2300
F072106026011300	PURMO CV 21S 600x2600
F072106030011300	PURMO CV 21S 600x3000
F072109004011300	PURMO CV 21S 900x 400
F072109005011300	PURMO CV 21S 900x 500
F072109006011300	PURMO CV 21S 900x 600
F072109007011300	PURMO CV 21S 900x 700
F072109008011300	PURMO CV 21S 900x 800
F072109009011300	PURMO CV 21S 900x 900
F072109010011300	PURMO CV 21S 900x1000
F072109011011300	PURMO CV 21S 900x1100
F072109012011300	PURMO CV 21S 900x1200
F072109014011300	PURMO CV 21S 900x1400
F072109016011300	PURMO CV 21S 900x1600
F072109018011300	PURMO CV 21S 900x1800
F072109020011300	PURMO CV 21S 900x2000
F072109023011300	PURMO CV 21S 900x2300
F072109026011300	PURMO CV 21S 900x2600
F072109030011300	PURMO CV 21S 900x3000
F072203004011300	PURMO CV 22 300x 400
F072203005011300	PURMO CV 22 300x 500
F072203006011300	PURMO CV 22 300x 600
F072203007011300	PURMO CV 22 300x 700
F072203008011300	PURMO CV 22 300x 800
F072203009011300	PURMO CV 22 300x 900
F072203010011300	PURMO CV 22 300x1000
F072203011011300	PURMO CV 22 300x1100
F072203012011300	PURMO CV 22 300x1200
F072203014011300	PURMO CV 22 300x1400
F072203016011300	PURMO CV 22 300x1600
F072203018011300	PURMO CV 22 300x1800
F072203020011300	PURMO CV 22 300x2000
F072203023011300	PURMO CV 22 300x2300
F072203026011300	PURMO CV 22 300x2600
F072203030011300	PURMO CV 22 300x3000
F072204004011300	PURMO CV 22 400x 400
F072204005011300	PURMO CV 22 400x 500
F072204006011300	PURMO CV 22 400x 600

Global Item Code	Item Description
F072204007011300	PURMO CV 22 400x 700
F072204008011300	PURMO CV 22 400x 800
F072204009011300	PURMO CV 22 400x 900
F072204010011300	PURMO CV 22 400x1000
F072204011011300	PURMO CV 22 400x1100
F072204012011300	PURMO CV 22 400x1200
F072204014011300	PURMO CV 22 400x1400
F072204016011300	PURMO CV 22 400x1600
F072204018011300	PURMO CV 22 400x1800
F072204020011300	PURMO CV 22 400x2000
F072204023011300	PURMO CV 22 400x2300
F072204026011300	PURMO CV 22 400x2600
F072204030011300	PURMO CV 22 400x3000
F072204504011300	PURMO CV 22 450x 400
F072204505011300	PURMO CV 22 450x 500
F072204506011300	PURMO CV 22 450x 600
F072204507011300	PURMO CV 22 450x 700
F072204508011300	PURMO CV 22 450x 800
F072204509011300	PURMO CV 22 450x 900
F072204510011300	PURMO CV 22 450x1000
F072204511011300	PURMO CV 22 450x1100
F072204512011300	PURMO CV 22 450x1200
F072204514011300	PURMO CV 22 450x1400
F072204516011300	PURMO CV 22 450x1600
F072204518011300	PURMO CV 22 450x1800
F072204520011300	PURMO CV 22 450x2000
F072204523011300	PURMO CV 22 450x2300
F072204526011300	PURMO CV 22 450x2600
F072204530011300	PURMO CV 22 450x3000
F072205004011300	PURMO CV 22 500x 400
F072205005011300	PURMO CV 22 500x 500
F072205006011300	PURMO CV 22 500x 600
F072205007011300	PURMO CV 22 500x 700
F072205008011300	PURMO CV 22 500x 800
F072205009011300	PURMO CV 22 500x 900
F072205010011300	PURMO CV 22 500x1000
F072205011011300	PURMO CV 22 500x1100
F072205012011300	PURMO CV 22 500x1200
F072205014011300	PURMO CV 22 500x1400
F072205016011300	PURMO CV 22 500x1600
F072205018011300	PURMO CV 22 500x1800

Global Item Code	Item Description
F072205020011300	PURMO CV 22 500x2000
F072205023011300	PURMO CV 22 500x2300
F072205026011300	PURMO CV 22 500x2600
F072205030011300	PURMO CV 22 500x3000
F072206004011300	PURMO CV 22 600x 400
F072206005011300	PURMO CV 22 600x 500
F072206006011300	PURMO CV 22 600x 600
F072206007011300	PURMO CV 22 600x 700
F072206008011300	PURMO CV 22 600x 800
F072206009011300	PURMO CV 22 600x 900
F072206010011300	PURMO CV 22 600x1000
F072206011011300	PURMO CV 22 600x1100
F072206012011300	PURMO CV 22 600x1200
F072206014011300	PURMO CV 22 600x1400
F072206016011300	PURMO CV 22 600x1600
F072206018011300	PURMO CV 22 600x1800
F072206020011300	PURMO CV 22 600x2000
F072206023011300	PURMO CV 22 600x2300
F072206026011300	PURMO CV 22 600x2600
F072206030011300	PURMO CV 22 600x3000
F072209004011300	PURMO CV 22 900x 400
F072209005011300	PURMO CV 22 900x 500
F072209006011300	PURMO CV 22 900x 600
F072209007011300	PURMO CV 22 900x 700
F072209008011300	PURMO CV 22 900x 800
F072209009011300	PURMO CV 22 900x 900
F072209010011300	PURMO CV 22 900x1000
F072209011011300	PURMO CV 22 900x1100
F072209012011300	PURMO CV 22 900x1200
F072209014011300	PURMO CV 22 900x1400
F072209016011300	PURMO CV 22 900x1600
F072209018011300	PURMO CV 22 900x1800
F072209020011300	PURMO CV 22 900x2000
F072209023011300	PURMO CV 22 900x2300
F072209026011300	PURMO CV 22 900x2600
F072209030011300	PURMO CV 22 900x3000
F073303004011300	PURMO CV 33 300x 400
F073303004011310	PURMO CV 33 300x 400 L
F073303005011300	PURMO CV 33 300x 500
F073303005011310	PURMO CV 33 300x 500 L
F073303006011300	PURMO CV 33 300x 600

Global Item Code	Item Description
F073303006011310	PURMO CV 33 300x 600 L
F073303007011300	PURMO CV 33 300x 700
F073303007011310	PURMO CV 33 300x 700 L
F073303008011300	PURMO CV 33 300x 800
F073303008011310	PURMO CV 33 300x 800 L
F073303009011300	PURMO CV 33 300x 900
F073303009011310	PURMO CV 33 300x 900 L
F073303010011300	PURMO CV 33 300x1000
F073303010011310	PURMO CV 33 300x1000 L
F073303011011300	PURMO CV 33 300x1100
F073303011011310	PURMO CV 33 300x1100 L
F073303012011300	PURMO CV 33 300x1200
F073303012011310	PURMO CV 33 300x1200 L
F073303014011300	PURMO CV 33 300x1400
F073303014011310	PURMO CV 33 300x1400 L
F073303016011300	PURMO CV 33 300x1600
F073303016011310	PURMO CV 33 300x1600 L
F073303018011300	PURMO CV 33 300x1800
F073303018011310	PURMO CV 33 300x1800 L
F073303020011300	PURMO CV 33 300x2000
F073303020011310	PURMO CV 33 300x2000 L
F073303023011300	PURMO CV 33 300x2300
F073303023011310	PURMO CV 33 300x2300 L
F073303026011300	PURMO CV 33 300x2600
F073303026011310	PURMO CV 33 300x2600 L
F073303030011300	PURMO CV 33 300x3000
F073303030011310	PURMO CV 33 300x3000 L
F073304004011300	PURMO CV 33 400x 400
F073304004011310	PURMO CV 33 400x 400 L
F073304005011300	PURMO CV 33 400x 500
F073304005011310	PURMO CV 33 400x 500 L
F073304006011300	PURMO CV 33 400x 600
F073304006011310	PURMO CV 33 400x 600 L
F073304007011300	PURMO CV 33 400x 700
F073304007011310	PURMO CV 33 400x 700 L
F073304008011300	PURMO CV 33 400x 800
F073304008011310	PURMO CV 33 400x 800 L
F073304009011300	PURMO CV 33 400x 900
F073304009011310	PURMO CV 33 400x 900 L
F073304010011300	PURMO CV 33 400x1000
F073304010011310	PURMO CV 33 400x1000 L

Global Item Code	Item Description
F073304011011300	PURMO CV 33 400x1100
F073304011011310	PURMO CV 33 400x1100 L
F073304012011300	PURMO CV 33 400x1200
F073304012011310	PURMO CV 33 400x1200 L
F073304014011300	PURMO CV 33 400x1400
F073304014011310	PURMO CV 33 400x1400 L
F073304016011300	PURMO CV 33 400x1600
F073304016011310	PURMO CV 33 400x1600 L
F073304018011300	PURMO CV 33 400x1800
F073304018011310	PURMO CV 33 400x1800 L
F073304020011300	PURMO CV 33 400x2000
F073304020011310	PURMO CV 33 400x2000 L
F073304023011300	PURMO CV 33 400x2300
F073304023011310	PURMO CV 33 400x2300 L
F073304026011300	PURMO CV 33 400x2600
F073304026011310	PURMO CV 33 400x2600 L
F073304030011300	PURMO CV 33 400x3000
F073304030011310	PURMO CV 33 400x3000 L
F073304504011300	PURMO CV 33 450x 400
F073304504011310	PURMO CV 33 450x 400 L
F073304505011300	PURMO CV 33 450x 500
F073304505011310	PURMO CV 33 450x 500 L
F073304506011300	PURMO CV 33 450x 600
F073304506011310	PURMO CV 33 450x 600 L
F073304507011300	PURMO CV 33 450x 700
F073304507011310	PURMO CV 33 450x 700 L
F073304508011300	PURMO CV 33 450x 800
F073304508011310	PURMO CV 33 450x 800 L
F073304509011300	PURMO CV 33 450x 900
F073304509011310	PURMO CV 33 450x 900 L
F073304510011300	PURMO CV 33 450x1000
F073304510011310	PURMO CV 33 450x1000 L
F073304511011300	PURMO CV 33 450x1100
F073304511011310	PURMO CV 33 450x1100 L
F073304512011300	PURMO CV 33 450x1200
F073304512011310	PURMO CV 33 450x1200 L
F073304514011300	PURMO CV 33 450x1400
F073304514011310	PURMO CV 33 450x1400 L
F073304516011300	PURMO CV 33 450x1600
F073304516011310	PURMO CV 33 450x1600 L
F073304518011300	PURMO CV 33 450x1800

Global Item Code	Item Description
F073304518011310	PURMO CV 33 450x1800 L
F073304520011300	PURMO CV 33 450x2000
F073304520011310	PURMO CV 33 450x2000 L
F073304523011300	PURMO CV 33 450x2300
F073304523011310	PURMO CV 33 450x2300 L
F073304526011300	PURMO CV 33 450x2600
F073304526011310	PURMO CV 33 450x2600 L
F073304530011300	PURMO CV 33 450x3000
F073304530011310	PURMO CV 33 450x3000 L
F073305004011300	PURMO CV 33 500x 400
F073305004011310	PURMO CV 33 500x 400 L
F073305005011300	PURMO CV 33 500x 500
F073305005011310	PURMO CV 33 500x 500 L
F073305006011300	PURMO CV 33 500x 600
F073305006011310	PURMO CV 33 500x 600 L
F073305007011300	PURMO CV 33 500x 700
F073305007011310	PURMO CV 33 500x 700 L
F073305008011300	PURMO CV 33 500x 800
F073305008011310	PURMO CV 33 500x 800 L
F073305009011300	PURMO CV 33 500x 900
F073305009011310	PURMO CV 33 500x 900 L
F073305010011300	PURMO CV 33 500x1000
F073305010011310	PURMO CV 33 500x1000 L
F073305011011300	PURMO CV 33 500x1100
F073305011011310	PURMO CV 33 500x1100 L
F073305012011300	PURMO CV 33 500x1200
F073305012011310	PURMO CV 33 500x1200 L
F073305014011300	PURMO CV 33 500x1400
F073305014011310	PURMO CV 33 500x1400 L
F073305016011300	PURMO CV 33 500x1600
F073305016011310	PURMO CV 33 500x1600 L
F073305018011300	PURMO CV 33 500x1800
F073305018011310	PURMO CV 33 500x1800 L
F073305020011300	PURMO CV 33 500x2000
F073305020011310	PURMO CV 33 500x2000 L
F073305023011300	PURMO CV 33 500x2300
F073305023011310	PURMO CV 33 500x2300 L
F073305026011300	PURMO CV 33 500x2600
F073305026011310	PURMO CV 33 500x2600 L
F073305030011300	PURMO CV 33 500x3000
F073305030011310	PURMO CV 33 500x3000 L

Global Item Code	Item Description
F073306004011300	PURMO CV 33 600x 400
F073306004011310	PURMO CV 33 600x 400 L
F073306005011300	PURMO CV 33 600x 500
F073306005011310	PURMO CV 33 600x 500 L
F073306006011300	PURMO CV 33 600x 600
F073306006011310	PURMO CV 33 600x 600 L
F073306007011300	PURMO CV 33 600x 700
F073306007011310	PURMO CV 33 600x 700 L
F073306008011300	PURMO CV 33 600x 800
F073306008011310	PURMO CV 33 600x 800 L
F073306009011300	PURMO CV 33 600x 900
F073306009011310	PURMO CV 33 600x 900 L
F073306010011300	PURMO CV 33 600x1000
F073306010011310	PURMO CV 33 600x1000 L
F073306011011300	PURMO CV 33 600x1100
F073306011011310	PURMO CV 33 600x1100 L
F073306012011300	PURMO CV 33 600x1200
F073306012011310	PURMO CV 33 600x1200 L
F073306014011300	PURMO CV 33 600x1400
F073306014011310	PURMO CV 33 600x1400 L
F073306016011300	PURMO CV 33 600x1600
F073306016011310	PURMO CV 33 600x1600 L
F073306018011300	PURMO CV 33 600x1800
F073306018011310	PURMO CV 33 600x1800 L
F073306020011300	PURMO CV 33 600x2000
F073306020011310	PURMO CV 33 600x2000 L
F073306023011300	PURMO CV 33 600x2300
F073306023011310	PURMO CV 33 600x2300 L
F073306026011300	PURMO CV 33 600x2600
F073306026011310	PURMO CV 33 600x2600 L
F073306030011300	PURMO CV 33 600x3000
F073306030011310	PURMO CV 33 600x3000 L
F073309004011300	PURMO CV 33 900x 400
F073309004011310	PURMO CV 33 900x 400 L
F073309005011300	PURMO CV 33 900x 500
F073309005011310	PURMO CV 33 900x 500 L
F073309006011300	PURMO CV 33 900x 600
F073309006011310	PURMO CV 33 900x 600 L
F073309007011300	PURMO CV 33 900x 700
F073309007011310	PURMO CV 33 900x 700 L
F073309008011300	PURMO CV 33 900x 800

Global Item Code	Item Description
F073309008011310	PURMO CV 33 900x 800 L
F073309009011300	PURMO CV 33 900x 900
F073309009011310	PURMO CV 33 900x 900 L
F073309010011300	PURMO CV 33 900x1000
F073309010011310	PURMO CV 33 900x1000 L
F073309011011300	PURMO CV 33 900x1100
F073309011011310	PURMO CV 33 900x1100 L
F073309012011300	PURMO CV 33 900x1200
F073309012011310	PURMO CV 33 900x1200 L
F073309014011300	PURMO CV 33 900x1400
F073309014011310	PURMO CV 33 900x1400 L
F073309016011300	PURMO CV 33 900x1600
F073309016011310	PURMO CV 33 900x1600 L
F073309018011300	PURMO CV 33 900x1800
F073309018011310	PURMO CV 33 900x1800 L
F073309020011300	PURMO CV 33 900x2000
F073309020011310	PURMO CV 33 900x2000 L
F073309023011300	PURMO CV 33 900x2300
F073309023011310	PURMO CV 33 900x2300 L
F073309026011300	PURMO CV 33 900x2600
F073309026011310	PURMO CV 33 900x2600 L
F073309030011300	PURMO CV 33 900x3000
F073309030011310	PURMO CV 33 900x3000 L