

# Product Data Sheet

3/9/2026

## Floor mounting feet/pipe covers

UK - Myson



- **Secure anchoring**
- **Conceals pipework**
- **Compatibility**
- **Easy installation**
- **Professional finish**

## Description

Floor Mounting Feet/Pipe Covers are essential accessories for grounding and concealing hydraulic pipes in fan convectors like the iVECTOR S2 series. These fixings ensure that the unit is securely anchored to the ground, providing stability and an aesthetic finish by hiding visible pipes. Ideal for both residential and commercial applications requiring robust support and a clean appearance.

## Area of Application

Floor Mounting Feet/Pipe Covers are suitable for use in anchoring fan convectors to the ground, specifically the iVECTOR S2 model. They also conceal any hydraulic pipes coming up through the floor, providing a clean and professional finish. Ideal for commercial and residential installations requiring stable and secure ground anchoring with concealed pipework.

## Selection Criteria

Select the appropriate Floor Mounting Feet/Pipe Covers for your unit by referring to the specific model accessories and sizes listed in our product brochure or use our design service for personalized assistance.

## Basic User Instructions

When installing Floor Mounting Feet/Pipe Covers, ensure they are securely attached to the floor. Use provided brackets and follow the alignment instructions to maintain stability. The covers will conceal hydraulic pipes emerging from the floor. Do not use the mounting feet for wall-anchored appliances, as they are designed only for ground support.

## Prescription text specifiers

Floor Mounting Feet/Pipe Covers are designed for secure installation of iVECTOR S2 series fan convectors to the ground. These fixings not only anchor the unit securely but also conceal any hydraulic pipes rising from the floor, ensuring a neat and professional installation. Ideal for both commercial and residential use, these covers provide stability and enhance the aesthetic appeal by hiding unsightly pipes. Installation involves securing the brackets to the ground and ensuring proper alignment to maintain the unit's stability. The mounting feet are not suitable for wall-anchored units. For selection and size details, refer to our product brochure or use our design service.

## Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.\*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.\*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators: 10 years from date of purchase on radiator unit\*, electric controls & electronic components; 2 years from date of purchase.\*
- Electric Towel Warmers: 2 years from date of purchase.\*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.\*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

\*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect.

Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

# Specification

<b>Feature</b>	<b>Unit</b>	<b>Value</b>
Etim Class		EC010061 - Mechanical accessories, ventilator convector
Depth	Millimetre (mm)	112
Weight	Kilogram (kg)	2.14
Height	Millimetre (mm)	105
Width / Length	Millimetre (mm)	180

# Resources

Document Description	Document Type	Link
----------------------	---------------	------

# Items

Global Item Code	Item Description
AZ500007524162N0	Floor fixing feet for wall mounted installations